

KETOROLAC EYE /DROPS

CLASS: Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic

INDICATIONS: Temporary relief of ocular itching due to seasonal allergic conjunctivitis; postoperative pain and/or inflammation following cataract extraction; reduction of ocular pain, burning, and stinging following corneal refractive surgery

AVAILABLE DOSAGE FROM THE HOSPITAL:

KETOROLAC 5MG /ML EYE /DROPS

TRADE NAMES:

DOSAGE:

- **Dosing: Adult**

Seasonal allergic conjunctivitis (relief of ocular itching) (Acular®): Ophthalmic: Instill 1 drop to affected eye(s) 4 times daily

Inflammation following cataract extraction (Acular®): Ophthalmic: Instill 1 drop to affected eye(s) 4 times daily beginning 24 hours after surgery; continue for 2 weeks

Pain, burning/stinging following corneal refractive surgery (Acular LS®): Ophthalmic: Instill 1 drop to affected eye(s) 4 times daily as needed for up to 4 days after surgery

Pain and inflammation associated with cataract surgery (Acuvail®): Instill 1 drop to affected eye(s) 2 times daily 24 hours before surgery and on the day of surgery; continue for 2 weeks.

- **Dosing: Renal Impairment**

No dosage adjustment provided in manufacturer's labeling.

- **Dosing: Hepatic Impairment**

No dosage adjustment provided in manufacturer's labeling.

COMMON SIDE EFFECT:

>10%: Ocular: Transient burning/stinging (Acular® and Acular LS®: 20% to 40%)

PREGNANCY RISK FACTORS: C